



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Mortuary statistics from May 18 to May 24, 1902, inclusive, port of Santiago de Cuba.

Causes of death—	Deaths.
Tubercle of lungs.....	2
Cancer of the uterus	1
Myelitis.....	1
Cerebral hemorrhage.....	1
Organic diseases of the heart.....	1
Embolism.....	1
Pneumonia.....	1
Pulmonary congestion.....	1
Diarrhea and enteritis (under 2 years).....	2
Diarrhea and enteritis, chronic.....	1
Strangulated hernia.....	1
Bright's disease.....	2
Septicæmia, puerperal.....	1
Umbilical hemorrhage.....	1
Ill-defined or unspecified causes of death.....	2
Total.....	19

Annual rate of mortality for the week, 22.97 per 1,000. Estimated population, 43,000.

Mortuary statistics from May 25 to May 31, 1902, including port of Santiago de Cuba.

Causes of death—	Deaths.
Fever, intermittent malarial.....	2
Tubercle of lungs.....	3
Cancer of the uterus	1
Cerebral hemorrhage	1
Tetanus, infantile.....	1
Pericarditis.....	1
Organic disease of the heart	1
Hemophilia	1
Diarrhea and enteritis (under 2 years)	1
Bright's disease.....	2
Cysts of the ovary	1
Congenital debility.....	1
Senile debility.....	1
Ill-defined or unspecified causes of death.....	1
Total.....	18

Annual rate of mortality for the week, 21.76 per 1,000. Estimated population, 43,000.

ENGLAND.

Report from London.

LONDON, ENGLAND, *June 4, 1902.*

SIR: I have the honor to report, for the week ended May 31, 1902, there were 10 vessels inspected. It was necessary to vaccinate 156 of the crew and cattlemen of the vessels. During the week ended May 24, 1902, there were 55 deaths from smallpox and 1,344 cases remained under treatment. The number of fresh cases notified during this week were between 20 and 30 daily.

Respectfully,

SYLVESTER WILLARD,
Acting Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

Report from Liverpool.

LIVERPOOL, ENGLAND, *June 10, 1902.*

SIR: I have the honor to state that for the week ended June 7, 1902, there were reported to the local health authorities the following cases: Smallpox, 2; typhus fever, 4; enteric fever, 18; scarlet fever, 133;

diphtheria, 19; measles, 94, and whooping cough, 74. For the same period there were reported from Birkenhead the following cases: Small-pox, 2; scarlet fever, 4; diphtheria, 2; enteric fever, 3; continued fever, 1, and measles, 7.

Respectfully,

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

CARROLL FOX,
Assistant Surgeon, U. S. M. H. S.

GERMANY.

Report from Berlin—Plague and cholera in various countries.

BERLIN, GERMANY, June 7, 1902.

SIR: I have the honor to transmit the latest information obtained from the imperial health office (Kaiserlichen-Gesundheitsamt) in Berlin, regarding plague and cholera:

Plague.

BRITISH EAST INDIA.—On April 18, a case of plague was officially recorded in Rangoon. The patient had arrived by steamship from Calcutta. In the Bombay Presidency there were registered during the week ended May 9, 1,295 plague cases and 1,096 deaths, of which 417 (391) occurred in the city of Bombay and 144 (122) in the town and port of Karachi.

CHINA—*Hongkong*.—Between March 30 and April 19, 9 Chinese and 3 Portuguese were registered as suffering with plague. Of the 12 reported cases 11 ended in death.

JAPAN.—On April 3, the plague patient who had arrived from Formosa on March 7, died in Nagasaki.

CAPE COLONY.—During the week ended May 3, neither new plague cases nor deaths were officially recorded. On May 3, as on April 26, there were still 6 plague patients under treatment, 5 Europeans and 1 native, all in Port Elizabeth.

NEW SOUTH WALES.—Up to April 20, since the fresh outbreak of plague, 100 plague cases have been officially recorded, of which 26 ended in death and 37 have recovered. On April 21 there were still 37 plague patients under treatment.

QUEENSLAND.—According to the official bulletins, there occurred during the period from March 30 to April 12, 9 plague cases and 5 deaths. Of the 42 cases recorded in the colony up to April 12, 40 occurred in Brisbane and 1 each in Rosewood and Townville. During the week ended April 19, 4 fresh plague cases and 1 death were registered in Brisbane.

Plague and cholera.

BRITISH INDIA.—In Calcutta during the week from April 13 to April 19 (April 20 to April 26), 588 (577) persons died of plague, and 153 (146) died of cholera.

Respectfully,

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.

FRANK H. MASON,
United States Consul-General.